



## Shellprogram - Shell programming lab list programs

Bachelor's of computer Application (BCA) (University of Calicut)



Scan to open on Studocu

## PART B – SHELL Programming

### 1. Write a shell script to find area of a circle

```
echo "Enter the radius of the circle"
read r
echo "3.14*$r*$r" | bc
area=$(echo "3.14*$r*$r" | bc)
echo "a=$area"
```

### 2. Write a shell script to find given number is even or odd

```
echo "Enter number"
read number
even_odd=$((number%2))

if test $even_odd -eq 0
then
    echo "even"
else
    echo "Odd"
fi
```

### 3. Write a shell script to make a menu driven calculator using case

```
while true
do

echo "Enter operator"
```

```
echo "1. for addition"  
echo "2. for subtraction"  
echo "3. for multiplication"  
echo "4. for division"  
echo "5. exit"  
read op;
```

```
case $op in
```

```
  1)
```

```
    echo "Enter first number"  
    read n1  
    echo "Enter second number"  
    read n2  
    res=$((n1+n2))  
    operator="addition"  
    ;;
```

```
  2)
```

```
    echo "Enter first number"  
    read n1  
    echo "Enter second number"  
    read n2  
    res=$((n1-n2))  
    operator="subtraction"  
    ;;
```

```
  3)
```

```
    echo "Enter first number"  
    read n1  
    echo "Enter second number"  
    read n2  
    res=$((n1*n2))
```

```

        operator="multiplication"
        ;;
4)
    echo "Enter first number"
    read n1
    echo "Enter second number"
    read n2
    res=$((n1/n2))
    operator="division"
    ;;
5)  exit
    ;;
*)  echo "Enter proper operator"
    operator="Invalid Operation"
    res="null"
    ;;
esac
echo "Result after $operator is $res"
done

```

#### **4. Write a shell script to find the greatest of three numbers**

```

echo "Enter first number"
read n1
echo "Enter second number"
read n2
echo "Enter third number"
read n3

if test $n1 -gt $n2

```

```

then
    if test $n1 -gt $n3
    then
        echo "$n1 is the greatest"
    else
        echo "$n3 is the greatest"
    fi
elif test $n2 -gt $n3
then
    echo "$n2 is greatest"
else
    echo "$n3 is greatest"
fi

```

## 5. Write a shell script to compute mean and standard deviation of three numbers

```

echo "Enter first number"
read n1
echo "Enter second number"
read n2
echo "Enter third number"
read n3
mean=$(echo "scale=2;($n1+$n2+$n3)/3" | bc )
n1_mean=$(echo "scale=2;$n1-$mean" | bc )
echo "diff1: $n1_mean"
squared_diff_n1=$(echo "scale=2;$n1_mean^2" | bc)
echo "diff1^2: $squared_diff_n1"

n2_mean=$(echo "scale=2;$n2-$mean" | bc )
echo "diff2: $n2_mean"

```

```

squared_diff_n2=$(echo "scale=2;$n2_mean^2" | bc)
echo "diff2^2: $squared_diff_n2"

n3_mean=$(echo "scale=2;$n3-$mean" | bc )
echo "diff3: $n3_mean"
squared_diff_n3=$(echo "scale=2;$n3_mean^2" | bc)
echo "diff3^2: $squared_diff_n3"

sum_squared_diff=$(echo "scale=2;$squared_diff_n1+$squared_diff_n2+$squared_diff_n3" | bc)

echo "sum of squared differences: $sum_squared_diff"
mean_squared_diff=$(echo "scale=2;$sum_squared_diff/2" | bc)
echo "Mean of squared differences: $mean_squared_diff"

stand_dev=$(echo "scale=2;sqrt($mean_squared_diff)"|bc)

echo "Mean=$mean"
echo "Standard Deviation=$stand_dev"

```

## 6. Write a shell script to find sum of all digits from a given number

```

echo "Enter number"
read number

sum=0
while test $number -ne 0
do
    digit=$((number%10))
    sum=$((sum+digit))
    number=$((number/10))
done

```

```
done
echo "Sum of digits: $sum"
```

## **7. Write a shell script to find reverse of a number**

```
echo "Enter number"
read number
reverse=""
sum=0
while test $number -ne 0
do
    digit=$((number%10))
    reverse="$reverse$digit"
    number=$((number/10))
done
echo "$reverse"
```

## **8. Write a shell script to find prime numbers up to a given number**

```
echo "Enter limit"
read limit

start=2
while test $start -le $limit
do
    num=$start
    flag=0
    i=2
    k=$((num/2))
```

```
while test $i -le $k
do
    rem=$((num%i))
    if test $rem -eq 0
    then
        flag=1
        break
    fi
    i=$((i+1))
done
if test $flag -eq 0
then
    echo "$num is Prime"
fi
start=$((start+1))
```

done

## 9. Write a shell script to find N fibonacci numbers

```
echo "Enter limit"
read limit

start1=0
start2=1
count=3
echo "$start1"
echo "$start2"

while test $count -le $limit
do
    fib=$((start1+start2))
```



```
echo $fib
start1=$start2
start2=$fib
count=$((count+1))
```

```
done
```

## **10. Write a shell script to check whether a given number is Armstrong or not**

```
echo "Enter number"
read number
number_cpy=$number
sum=0
count=0;
while test $number -ne 0
do
    number=$((number/10))
    count=$((count+1))
done
echo "Count of digits:$count"
sum=0
number=$number_cpy
while test $number -ne 0
do
    digit=$((number%10))
    powered_digit=$((digit**count))
    sum=$((sum+powered_digit))
    echo "Digit:$digit Powered Digit:$powered_digit"
    number=$((number/10))
```

```
done
echo "sum of powered digits:$sum"
if test $sum -eq $number_cpy
then
    echo "-----Armstrong-----"
else
    echo "-----Not Armstrong-----"
fi
```

## **11. Write a shell script to reverse a string and check whether a given string is palindrome or not**

```
echo "Enter a string"
read string
reverse=$(echo $string | rev)
echo "Reverse of $string is $reverse"

if test $string = $reverse
then
    echo "Palindrome"
else
    echo "Not Palindrome"
fi
```

## **12. Write a shell script to count no of line, words and characters of a input file**

```
echo Enter the filename
read f
words=$(cat $f | wc -w)
echo "words:$words"
```

```
characters=$(cat $f|wc -c)
echo "Number of characters in $file is $characters"
```

```
lines=$(cat $f|wc -l)
echo "No of lines is $lines"
```

### **13. Write a shell script to convert all the contents into the uppercase in a particular file in Unix**

```
echo "Enter file name"
read fname
tr '[:lower:]' '[:upper:]' < $fname > output.txt
cat output.txt
```

### **14. Write a shell script to find the value of one number raised to the power of another. Two numbers are entered through the keyboard**

```
echo "Enter base"
read base
echo "Enter exponent"
read exponent

power=$(echo "$base^$exponent" | bc)
echo "$power"
```

### **15. Write a shell script find the factorial of a given number**

```
echo "enter no"
read fact
```

```
fact1=$fact
while test $fact1 -ne 1
do
    fact=$((fact * (fact1-1)))
    fact1=$((fact1-1))
done
echo "fact=$fact";
```

**16. An employee Basic Pay is input through keyboard where DA is 40% of basic pay and HRA is 20% of basic pay. Write a shell script to calculate gross salary, Gross Salary =Basic Pay + DA + HRA**

```
echo "Enter basic"
read basic
da=$(echo "scale=2;0.4*$basic" | bc)
echo "DA=$da"

hra=$(echo "scale=2;0.2*$basic" | bc)
echo "HRA=$hra"

gross=$(echo "scale=2;$basic+$da+$hra" | bc)

echo "Gross salary=$gross"
```

**17. Write a shell script to find the average of the numbers entered as command line arguments**

```
echo "First argument:$1"
echo "Second argument:$2"
```

```
echo "Third argument:$3"
```

```
average=$(echo "scale=2;($1+$2+$3)/3" | bc)
```

```
echo "Average of first 3 numbers:$average"
```

```
sum=0
```

```
i=0
```

```
for number in "$@"
```

```
do
```

```
    sum=$(echo "scale=2;$sum+$number" | bc)
```

```
    i=$((i + 1));
```

```
done
```

```
avg1=$(echo "scale=2;$sum/$#" | bc)
```

```
avg2=$(echo "scale=2;$sum/$i" | bc)
```

```
echo "Average of n numbers:$avg1"
```

```
echo "Average of n numbers:$avg2"
```

**18. Write a shell script which whenever gets executed displays the message Good Morning/Good afternoon /Good Evening depending on the time it gets executed**

```
check=$(date +%H)
```

```
echo $check
```

```
if [ $check -ge 06 -a $check -le 12 ]
```

```
then
```

```
    echo "Good morning"
```

```
elif [ $check -ge 12 -a $check -le 17 ]
```

```
then
```

```
    echo "Good afternoon"
else
    echo "Good evening"
fi
```

## **19. Write a shell script to Display Banner, calendar of given year**

```
echo "Enter a maximum of 10 letters"

read text

banner $text

echo "Enter year"

read year

cal $year
```

## **20 Write a shell script to display current date and time, number of users, terminal name, login date and time**

```
current_date=`date`
echo "Today's date: $current_date"

no_of_users=`who|wc -l`

echo "No of users: $no_of_users"

who
```

## 21. Write a shell script which uses all the file test operators

```
FILE=$1
```

```
# The -e operator tests for file existence
```

```
if [ -e $FILE ]
```

```
then
```

```
# If the operator returns true, print a message saying the file exists.
```

```
echo "$FILE exists"
```

```
else
```

```
# If the operator returns true, print a message saying the file doesn't exist,
```

```
# then creates the file with the name you defined in the FILE variable.
```

```
#echo "$FILE does not exist, creating new file" && touch test.txt"
```

```
echo "$FILE does not exist"
```

```
fi
```

```
if [ -f $FILE ]
```

```
then
```

```
echo "$FILE is a regular file"
```

```
else
```

```
echo "$FILE not a regular file"
```

```
fi
```

```
if [ -s $FILE ]
```

```
then
```

```
echo "$FILE is not empty"
```

else

echo "\$FILE empty"

fi

if [ -r \$FILE ]

then

echo "\$FILE has read permission"

else

echo "\$FILE does not have read permission"

fi

if [ -w \$FILE ]

then

echo "\$FILE has write permission"

else

echo "\$FILE does not have write permission"

fi

if [ -x \$FILE ]

then

echo "\$FILE has executable permission"

else

echo "\$FILE does not have executable permission"

fi

if [ -O \$FILE ]



```
then
    echo "You are the owner of $FILE"

else
    echo "You are not the owner of $FILE"
fi

if [ -N $FILE ]
then
    echo "$FILE modified since last read"

else
    echo "not modified since last read"
fi

if [ -O $FILE ]
then
    echo "You are the owner of $FILE"

else
    echo "You are not the owner of $FILE"
fi

echo "Enter file1"
read file1

echo "Enter file2"
read file2
```

```
if [ $file1 -nt $file2 ]
then
    echo "$file1 is newer than $file2"

else
    echo "$file1 is not newer than $file2"
fi
```

**22. Write a shell script to copy the contents of file to another. Input file names through command line. The copy should not be allowed if second file exists.**

```
source=$1
destination=$2

if [ -e $destination ]
then
    echo "$destination exists. contents will be overwritten"
else
    cp $source $destination
fi
```

**23. Write a shell script to find number of vowels, consonants, numbers in a given string.**

```
echo "Type any String"
read string

length=`echo $string | wc -c`
```

```

echo $length
nvowels=0
nconsonants=0
ndigits=0

while [ $length -gt 1 ]
do
    length=`expr $length - 1`
    h=`echo $string | cut -c $length`

    case $h in
[AaEeIiOoUu]) nvowels=`expr $nvowels + 1`
;;

[BbCcDdFfGgHhJjKkLlMmNnPpQqRrSsTtVvWwXxYyZz])
nconsonants=`expr $nconsonants + 1`
;;

[0-9]) ndigits=`expr $ndigits + 1`
;;
esac
done

echo "Number of Vowels    : $nvowels"
echo "Number of Consonants : $nconsonants"
echo "Number of Digits    : $ndigits"

```

## 24. Write a shell script to perform operations like display, list, make directory and copy, rename, delete

```
while true
```

```
do
```

```
echo "Enter operations
```

```
1. Display contents of a file
```

```
2. copy a file to another file
```

```
3. Rename a file
```

```
4. delete a file
```

```
5. List the contents in a directory
```

```
6. make directory "
```

```
read choice
```

```
case $choice in
```

```
1)
```

```
    echo "Displaying contents of a file. Please enter the name of the file"
```

```
    read filename
```

```
    cat $filename
```

```
;;
```

```
2)
```

```
    echo "Copying a file to another"
```

```
    echo "Enter source"
```

```
    read source
```

```
    echo "Enter destination"
```

```
    read destination
```

```
    cp $source $destination
```

```
;;
```

```
3)
```

```
    echo "Enter the name of the file to be renamed"
```

```
    read filename
```

```
echo "Enter the new name"
```

```
read newfilename
```

```
mv $filename $newfilename
```

```
::
```

4)

```
echo "Enter the name of the file to be deleted"
```

```
read filename
```

```
rm $filename
```

```
::
```

5)

```
echo " Enter the name of the directory to be listed"
```

```
read dirname
```

```
ls $dirname
```

```
::
```

6)

```
echo "Enter the name of the directory to be created"
```

```
read dirname
```

```
mkdir $dirname
```

```
::
```

```
esac
```

```
done
```

## **25. Write a shell script to compare two files and remove one of them if they are same**

```
echo "Enter file1"
```

```
read file1
```

```
echo "Enter file2"
read file2

count=$(diff $file1 $file2 | wc -l)
echo "words:$words"
if test $count -eq 0
then
    echo "They are same. So removing $file2"
    rm $file2
else
    echo "They are different. Preserving both of them"
fi
```